

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

HIRAMATSU

Serial No. 10/046,969

Atty Ref.: 2635-87

Filed: January 17, 2002

Group: 3747

For: STRUCTURE OF SPARK PLUG DESIGNED TO PROVIDE HIGH THERMAL
RESISTANCE AND DURABILITY

Examiner:



* * * * *

February 27, 2002

Assistant Commissioner for Patents
Washington, DC 20231

SUBMISSION OF FORMAL DRAWINGS

Sir:

Enclosed herewith are nine sheets of formal, inked drawings for the above-identified application.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: Larry S. Nixon
Larry S. Nixon
Reg. No. 25,640

LSN:vc
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/046,969	01/17/2002	Hiromi Hiramatsu	2635-87

NIXON & VANDERHYE P.C.
8th Floor
1100 North Glebe Rd.
Arlington, VA 22201-4714



CONFIRMATION NO. 5415

FORMALITIES LETTER



OC000000007447389

Date Mailed: 02/08/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

L. D. V.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

0306

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

HIRAMATSU


Atty. Ref.: 2635-87

Serial No. 10/046,969

Group: 3747

Filed: January 17, 2002

Examiner:



For: STRUCTURE OF SPARK PLUG DESIGNED TO PROVIDE
HIGH THERMAL RESISTANCE AND DURABILITY

* * * * *

February 27, 2002

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

**RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS**

In response to the Notice to File Corrected Application papers mailed 02/08/2002,
substitute drawings in compliance with 37 C.F.R. §1.84 are herewith submitted.

Since no other defect was alleged in the originally filed application papers, it is presumed
that this application is now complete and ready for routine processing.

A copy of the 02/08/2002 Notice is attached.

Respectfully submitted,

NIXON & VANDERHYTE P.C.

By: Larry S. Nixon

Larry S. Nixon
Reg. No. 25,640

LSN:vc
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100